



GEORGETOWN DIVIDE
Public Utility District

P.O. BOX 4240

PHONE (530) 333-4356

GEORGETOWN, CALIFORNIA 95634-4240

FAX (530) 333-9442

gd-pud.org

January 9, 20223

Ms. Tiffany Schmid
Director, Development Services Division
2850 Fairlane Court
Placerville, CA 95667

Subject: **Georgetown Divide Public Utility District – 2020 Urban Water
Management Plan Notice**

Dear Ms. Schmid:

The Georgetown Divide Public Utility District (the District) is reviewing its 2020 Urban Water Management Plan (UWMP). The UWMP is required to be submitted to the California Department of Water Resources (DWR) every five years per water code 10610-10657. The purpose of this letter is to notify El Dorado County Planning Division that the District is updating the UWMP for 2020. The District intends to present the findings at a public hearing scheduled for the March 14, 2023, board of directors meeting.

Sincerely,

A handwritten signature in black ink, appearing to read "Nicholas Schneider", with a long horizontal stroke extending to the right.

Nicholas Schneider
Interim General Manager



GEORGETOWN DIVIDE
Public Utility District

P.O. BOX 4240

PHONE (530) 333-4356

GEORGETOWN, CALIFORNIA 95634-4240

FAX (530) 333-9442

gd-pud.org

January 9, 2023

Mr. Kenneth Payne
El Dorado County Water Agency
4330 Golden Center Drive, Suite C
Placerville, CA 95667

Subject: **Georgetown Divide Public Utility District – 2020 Urban Water
Management Plan Notice**

Dear Mr. Payne:

The Georgetown Divide Public Utility District (the District) is reviewing its 2020 Urban Water Management Plan (UWMP). The UWMP is required to be submitted to the California Department of Water Resources (DWR) every five years per water code 10610-10657. The purpose of this letter is to notify El Dorado County Water Agency that the District is updating the UWMP for 2020. The District intends to present the findings at a public hearing scheduled for the March 14, 2023, board of directors meeting.

Sincerely,

Nicholas Schneider
General Manager